

SEETRONIC

Product Data Sheet

产 品 规 格 书

Product Type
产品类型

Jack
插座

Product Model
产品型号

ST229L

Customer Name
客户名称

Manufacturer 生产方	Prepared 制作	Checked 审核	Approved 核准
	25.9.10	25.9.10	25.9.11

Customer 客户方	Received 接受	Checked 审核	Confirmed 确认

Above specifications and information may have tolerances and have been updated.
Every effort has been made to ensure correctness upon release of this data sheet.
以上规格和信息可能有公差，并已更新。我们已尽一切努力确保本数据手册发布时的正确性。


All Rights Reserved 2023
保留所有权利 2023



sales@seetronic-group.com
www.seetronic.com

Product Data Sheet

产 品 规 格 书

Product Type 产品类型	Jack 插座	
Product Model 产品型号	ST229L	
Product Features 产品特性 ➤ 1/4" mono jack, unswitched ➤ Finished thread, nut and screw are tightly combined and there is no loosening of the nut ➤ 6.35mm 单声道插座，无开关 ➤ 精加工螺纹，使螺母与螺口紧密结合，无螺母松动现象		



Product Data Sheet

产 品 规 格 书

Electrical Parameters

电气参数

Item 项目	Specification 规格
Contact Resistance 接触电阻	$\leq 10 \text{ m}\Omega$
Insulation Resistance 绝缘电阻	$> 1000\text{M}\Omega$

Mechanical Parameters

机械参数

Item 项目	Specification 规格
Service Life 使用寿命	$> 1000 \text{ mating cycles}$ $> 1000 \text{ 次使用周期}$
Insertion force 插入力	$\leq 40 \text{ N}$

Material and Environmental Parameters

材料和环境

Item 项目	Specification 规格
Contacts 触点材质	Brass 铜合金
Contact surface 触点表面	Sn 锡
Temperature range 使用温度范围	$-20^{\circ}\text{C} \sim +65^{\circ}\text{C}$




Product Data Sheet

产品规格书

Product Drawing

产品外形尺寸



Unit: mm

Packaging Method

包装方式

1 pc per bag (include 1 pc each of socket, gasket and nut)
100 pcs per inner carton, 5 inner cartons per master carton (500 pcs per master carton)

1 个/袋(包含插座、垫片、螺帽各 1 个)
100 个/盒, 5 盒/箱 (500 个/箱)

Accessory

配件

- | | |
|--|---|
| ☐ No accessories
无配件 | ☐ Back fastener plate
安装固定件 |
| ☒ Spacer and Nuts
垫片和螺帽 | ☐ Other
其他 |

