



Product Data Sheet

产 品 规 格 书

Product Type
产品类型

Protective Cover
防护盖

Product Model
产品型号

CNAC-FPX20-AP

Customer Name
客户名称

Manufacturer 生产方	Prepared 制作	Checked 审核	Approved 核准

Customer 客户方	Received 接受	Checked 审核	Confirmed 确认



Product Data Sheet

产 品 规 格 书

Product Type 产品类型	Protective Cover 防护盖	
Product Model 产品型号	CNAC-FPX20-AP	
Product Features 产品特性 ➤ Rubber sealing cover for SAC3FPX20 ➤ Provides protection from dust and water with IP65 waterproof rating ➤ SAC3FPX20 的橡胶密封盖 ➤ 提供 IP65 等级的防水和防尘保护		



Product Data Sheet

产品规格书


Product Parameters

产品参数

Item 项目	Specification 规格
Base 底座	PA 尼龙
Protective cover 防护盖	TPE
Protection class 防护等级	IP65
Temperature range 使用温度范围	-30°C ~ +80°C
Flame-retardant grade 阻燃等级	UL94V-0

Product Drawing

产品外形尺寸



Unit: mm





Product Data Sheet

产 品 规 格 书

Packaging Method

包装方式

1 pcs per PE bag, 50 pcs per inner carton, 5 inner cartons per master carton (250 pcs per master carton)
1 个/PE 袋, 50 个/内盒, 5 个内盒/箱 (即 250 个/箱)

Accessory

配件

- | | |
|---|---|
| ☒ No accessories
无配件 | ☐ Back fastener plate
安装固定件 |
| ☐ Screws and Nuts
螺丝和螺帽 | ☐ Other
其他 |




Product Data Sheet 产 品 规 格 书

Assembly Instructions 安装使用说明

First, open the protective cover, then insert the plug from top to bottom.

先将防水盖上盖打开，将插座从上向下装入。



Mount the socket on the front of the housing, then tighten the screws clockwise with a torque of 0.5 Nm.

将插座前装在箱体开孔处，最后将螺丝按顺时针方向用 0.5 Nm 扭矩拧紧。

